

Argon

H280

1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Name of product	Argon
	Art-Nr.: 3010-1013
Name of substance	Argon
EC No	231=147-0
REACH registration number	-
CAS No	7440-37-1

Manufacturer / Distributor:

Ehsan International Gases

40/9, Aurangabad, Nazimabad
#3, Karachi 74600, Pakistan.

+92 21 36612091 – 36612907

info@ehsan.com.pk

www.ehsan.com.pk

Identified uses

Remark

It's not required to list the identified uses because the substance is exempted from the obligation to register according to REACH [article 2(7) (a) in conjunction with Annex IV of the REACH-Regulation (EC) 1907/2006].

Recommended intended purpose (s)

Cover gas.

Processing aid.

2: Hazards identification

Classification according to 67/548/EEC or 1999/45/EC

No

Classification according to regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard Categories Hazard statements classification procedure

Compr. Gas

H280

Hazard statement for physical hazards

Argon

H280

H280 contains gas under pressure: may explode if heated.

Additional hints

The substance is not classified as hazardous according to directive 67/548/EEC.

Labelling according to regulation (EC) No 1272/2008 [CLP/GHS]



GHS04

Single word

Warning

Hazard statement for physical hazards

H280 contain gas under pressure: may explode it heated.

Precautionary statements

Storage

P403 store in a well-ventilated place.

Adverse human health effects and symptoms

Asphyxiant in high concentrations.

3: composition/information on ingredients

CAS No 7440-37-1 Argon

EC no 231-147-0

REACH registration number –

Additional advice

The substance does not required according to articles 2 (7) in conjunction with Annex IV / V of the regulation (EC) No 1207/2006 [REACH]

4: First aid measures

General information

Adhere to personal protective measures when giving first aid

In case of inhalation

Remove the casually in to fresh air, keep warm and allow to rest.

Argon

H280

In case of respiratory standstill give artificial respiration by respiratory bag (Ambu bag) or respirator. Send for a doctor.

In case of skin contact

No special measure necessary.

In case of ingestion

Ingestion is not considered a potential route of exposure.

5: Firefighting measures

Suitable extinguish media

Product does not burn, fire-extinguishing activities according to surrounding.

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply (isolated).

Additional information

Cool endangered containers with water spray jet.

6: Accidental release measures

Personal precautions

See chapter 8.

Remove persons to safety.

Environmental precautions

If possible, stop flow of product.

Methods for cleaning up

Ensure adequate air ventilation.

Additional information

Information for safe handling see chapter 7.

Information for personal protective equipment see chapter 8.

7: Handling and storage

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well-ventilated area with local exhaust ventilation at workplace.

Prevent cylinders from falling over.

Ensure valve protection device is correctly fitted.

Argon

H280

Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
Open valve slowly to avoid pressure shock.
Use only property specified equipment which is suitable for this product, its supply pressure and temperature.
Do not allow back feed into the container must be prevented.
No water to valves, flanges and other fittings.
Purging of pipes and valves with inert gases- to avoid: water, solvents.

Requirements for storage rooms and vessels

Use transportable pressure equipment.
Suitable materials: normalized steel and carbon steel, aluminium alloys, stainless steel.
Valve: suitable materials: brass, copper alloys, carbon steel, aluminium alloys, stainless steel.

Advice on storage compatibility

Do not store together with combustible liquids or combustible solids.
Do not store together with feedstull.
Do not store together with explosives.
Do not store together with infectious substances.
Do not store together with radioactive materials
Do not store together with toxic liquids or toxic solids
Do not store together with food.
Do not store together with oxidizing liquids or oxidizing solids.

Further information on storage conditions

Ensure valve protection device is correctly fitted.
Store only in original container at temperature of 50°C maximum (=122°F).
Keep container in a well-ventilated place

8: Exposure controls/personal protection

Respiratory protection

If ventilation insufficient, wear respiratory protection.
Keep self-contained breathing apparatus readily available for emergency use.
In case of rescue and maintenance activities in storage containers use environment-in depended breathing Apparatus because of risk of suffocation by edging out of air oxygen

Hand protection

Leather gloves

Eye protection

Safety goggles

Skin protection

Argon

H280

Safety shoes with steel toe.

Hygiene measures

At work do not eat, drink and smoke.

9: physical and chemical properties

Form	color	odour
Compressed gas	colorless	odorless

Important health, safety and environmental information

	Value	temperature	at	method	remark
Boiling point	-186°C				
Melting point	-189, 2 °C				
Flash point	no				
Flammability (gas)	no				
Ignition temperature	no				
Vapour pressure	not applicable	20°C			
Density	1,394 g/ml	-186°C			liquid phase
Rel. vapour density	1.38				air = 1
Solubility in water	65 mg/l	20°C			
Oxidizing properties	No				
Explosive properties	No				

10: stability and reactivity**Conditions to avoid**

Heat sources / heat.

Hazardous decomposition products

No hazardous decomposition product known.

Additional information

Argon

H280

Stable under normal conditions.

11: Toxicological information

Additional information

No known toxicological effects from this product.

12: Ecological information

General regulation

No known ecological damage caused by this product

13: Disposal consideration

Waste code No

16 05 05

name of waste

gases in pressure containers other than those mentioned in 16 05 04

Recommendations for the product

Discharge to atmosphere in a well-ventilated place.

Do not discharge into any place where its accumulation could be dangerous.

Dispose of in accordance with the local official regulations.

Recommendations for packing

Transportable pressure equipment (empty, residual pressure): return to supplier / manufacturer.

14: transport information

Land and inland navigation transport ADR/RID

UN 1006 ARGON, COMPRESSED, 2.2 (E), CLASSIFICATION CODE: 1A

Marine transport IMDG

UN 1006 ARGON COMPRESSED, 2.2 marine pollutant: ANHYDROUS, 2.3 (8)

MARINE POLLUTANT: yes

Ems: F-C, S-U

Air transport ICAO/IATA-DGR

UN 1005, Argon compressed, 2.2

Cargo aircraft only: package max. 150 kg.

Passenger aircraft: package max 75 kg.

Argon

H280

15: Regulatory information

Chemical safety assessment

For this substance a chemical safety assessment is not required.

For this substance a chemical safety assessment has not been carried out.

16: Other information

Recommended uses and restrictions

National and local regulations concerning chemical shall be observed.

Further information

All declaration of safety-data-sheet refer to pure substance.

The information contain herein is based on the states of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

H280 contain gas under pressure: may explode if heated.